HISTORICAL Site Number: 18AN14	Other name(s) Woodland shell midden Maryland Archeologica Physiographic province Ethnobotany profile av Topography	Luce Creek Wright # S/LU-1 Al Research Unit No. 7 e Western Shore Coastal ailable Maritime site Ownership Private	SCS soil & sediment code Terrestrial site Nearest Surface Wate	Prehistoric Historic Unknown Unknown Unknown Unknown Underwater site		
-Lat/Long accurate to within 1 sq. mile, user may need to make slight adjustments in mapping to account for sites near state/county lines or streams	Interior flat Hills	slope Regional/ county/city	Ocean Estuary/tidal river Tidewater/marsh Minimum distance to	Stream/river Swamp Lake or pond Spring water is 0 m		
Temporal & Ethnic Contextual Data: Contact period site aca. 1820 - 1860 Ethnic Associations (historic only)						
Paleoindian site						
Unknown prehistoric context	Unknown context Y=Confirmed, P=Possible					
Site Function Contextual Data:	Historic					
	Urban/Rural?	Furnace/forge Other		ost-in-ground		
Prehistoric	Domestic			asonry		
Multi-component Misc. ceremonial	Homestead	Transportation Canal-related	_	ther structure		
Village ☐ Rock art ☐	Farmstead			ave related		
Hamlet Shell midden	Mansion	\A/b = rf/le = dire =				
Base camp STU/lithic scatter	Plantation	Maritime-related	Church/rate haves	on-domestic agri		
Rockshelter/cave Quarry/extraction	Row/townhome	Bridge	Church/mtg house Re	ecreational		
Earthen mound Fish weir	Cellar	Ford	MI	dden/dump 🔲		
Cairn Production area	Privy	Educational		tifact scatter		
Burial area Unknown	Industrial	Commercial	Cemetery Spulchre	oring or well		
Other context	Mining-related	Trading post		ıknown		
	Quarry-related	Ctore .		her context		
	Mill Description	Tavern/inn	Possible Structure			
	Black/metalsmith					
Interpretive Sampling Data:		1				
Prehistoric context samples Soil samples ta	ken Y	Historic context samples Soil samples taken				
Flotation samples taken Y Other samples taken oyster shell (Ed Otter) Flotation samples taken Other samples taken Other samples taken						

MANILAND	d Phase III Archeol	ogical Database and Inventory
HISTORICAL Site Number: 18AN	Site Name: Luce Creek	Prehistoric 🗸
	Other name(s) Wright # S/L	LU-1 Historic
Brief Middle	e Woodland shell midden	Unknown 🗍
Трист Description:	Woodana Gioli ililaadii	
1 K U 3 I		
Diagnostic Artifact Data:	Prehistoric Sherd Types	Shepard Keyser
Projectile Point Types Koens-Crispin		es Creek Townsend Yeocomico
Clovis	Dames Qtr Coul	lbourn Minguannan Monongahela
Hardaway-Dalton Susquehana	Selden Island Wats	
Palmer Vernon	Accokeek Mock	
Kirk (notch) Piscataway	<u> </u>	nson Island Moyaone
Kirk (stem) Calvert	Vinette Page	e Potomac Cr
Le Croy Selby Bay		stone Staffordshire Stoneware
Morrow Mntn Jacks Rf (notch)	Earthenware Jack	
Guilford Jacks Rf (pent)		Mottled Whiteware Eng Dry-bodie
Brewerton Madison/Potomac		h Devon Porcelain Nottingham
Otter Creek Levanna		rlware
All quantities exact or estimated minimal cour	nts	Wt Salt-glazed
Other Artifact & Feature Types:	Prehistoric Features	Lithic Material Fer quartzite Sil sandstone
Prehistoric Artifacts Other fired clay	Mound(s) Storage	√trash pit ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐
Flaked stone 363 Human remain(s)	☐)
Ground stone Modified faunal	32 Shell midden 🕡 Ossuary	y □ Rhyolite ☑ Argilite □ Unknown □
Stone bowls Unmod faunal	129 Postholes/molds Unknow	/n ☐ Quartz ☑ Steatite ☐ Other ☐
Fire-cracked rock 11 Oyster shell	✓ House pattern(s) ☐ Other	Quartzite 🗸 Sandstone 🗌
Other lithics (all) 48 Floral material	Palisade(s)	✓ Dated features present at site
Ceramics (all) 260 Uncommon Obj.	Hearth(s)	Shell midden and a separate, smaller shell
Rimsherds Other	Lithic reduc area	concentration to the south of the midden.
Historic Artifacts Tobacco related	Historic Features Privy/	/outhouse Depression/mound Unknown
Pottery (all) Activity item(s)	Const feature Well/o	cistern Burial(s) Other
Glass (all) Human remain(s)	Foundation Trash	n pit/dump Railroad bed
Architectural Faunal material	□ Cellar hole/cellar □	t midden
Furniture Misc. kitchen	Hearth/chimney	
Arms Floral material	Planti Postholes/molds	ing feature Mill raceway
Clothing Misc.	Road	//walkway
Personal items Other	Paling ditch/fence	All quantities exact or estimated minimal count
Radiocarbon Data:		
Sample 1: 1370 +/- 120 years BP Reliabi	·	
MI-1608: Charcoal sample from a Selby Bay shell midden. Associated with possible "Adena" point, debitage, and 102 Mockley sherds.	h B-57963: Charcoal sample from a shell concentration. Associated with debitage and 7 Mockley sherds.	S-5082: Direct AMS date on the shell temper (C. virginica) from a Mockley sherd in the collection (Test Unit 1).
Sample 4: 2186 +/- 22 years BP Reliabi	lity Sample 5 : 2285 +/- 25 years l	BP Reliability Sample 6: +/- years BP Reliabili
S-5083: Direct AMS date on the shell temper (C. virginica) from a Mockley sherd in the collection (Test Unit 1).	_ 	II High
Sample 7: +/- years BP Reliabi		
	Additional radiocarbon results	available

MARYLAND Phase II and Phase III Archeological Database and Inventory							
HISTORICAL Site Number:	18AN143 Site Name:	Luce Creek	Prehistoric 🗸				
	Other name(s)	Wright # S/LU-1	Historic				
Brief	Middle Woodland shell midden		Unknown				
TRUST Description:							
External Samples/Data:		Collection curated at MAC					
Additional raw data may be available online							

Summary Description:

The Luce Creek site (18AN143), also known as the Wright # S/LU-1 Site, is a Middle Woodland shell midden just north of Annapolis in Anne Arundel County. The site is situated on a point of land above and overlooking Luce Creek. The banks surrounding the site are quite steep and the site is exposed to the north wind. Most of the surrounding landscape is rolling with a few small knolls and predominantly mixed hardwood forest (with some stands of Virginia pine). A residence has been situated on the site since at least the mid 20th century (when the site was first formally excavated). Soils at the site are Monmouth-Collington fine sandy loams.

The site was described and documented in 1958 by Henry T. Wright, who was conducting a survey of the Chesapeake Bay are in the late 1950s and early 1960s. The site was discovered during a detailed examination of the Severn River (and tributary) shorelines. Wright reported a visible oyster shell deposit roughly 10.7 m (35 ft) wide extending along the creek bank over an area 36.6 m (120 ft) in length. He estimated that the construction of a house on the site, as well as erosion had destroyed as much as 90% of the original site area.

Wright's investigation of 18AN143 consisted of the excavation of a single 1.22 m (4 ft) test square in the north-central portion of the site. This test unit was excavated in arbitrary levels within natural strata and all soils were screened through hardware cloth. Excavation proceeded to a depth of approximately 34 cm (1.1 ft), and into sterile subsoil. The excavations revealed a possible Selby Bay component characterized by Mockley sherds and a possible Adena point. The artifact assemblage included 2 projectile point fragments, 1 biface, 3 flakes, 25 other lithics, 11 pieces of fire-cracked rock, 102 Mockley sherds, a polished mammal bone, 28 split mammal bones, 3 calcined bones, 2 bird bones, a reptile bone, a fish bone, at least 99 turtle bone fragments, at least 22 unidentified mammal bone, 3 clam shell fragments, and 2 mussel shell fragments. A charcoal sample was also collected from the midden, which placed the site within the Middle Woodland Period. It produced an uncalibrated radiocarbon date of 1370±120 radiocarbon years before present. When calibrated, this corresponds to a calendrical date range (2 sigma) of AD 423-944.

No additional documented research took place at 18AN143 until 1990/1991. At that time a Phase I intensive archeological survey was conducted at the site and in the surrounding area which were then part of a residential development property. The (then) proposed Riverwatch Subdivision encompassed a 9 acre parcel on which single-family residential homes would be constructed, along with associated infrastructure. Because the terrain was known to have an archeological site present (i.e. 18AN143), and most of the construction area was, thus, deemed to have a high potential for containing additional cultural resources, a Phase I survey was requested by the Anne Arundel County Department of Planning and Zoning. The work was mandated by regulations set forth in Article 26, Title 3-109 of the Anne Arundel County Subdivision Regulations.

Phase I work in 1991 74 shovel test pits (STPs) across the development parcel, generally at 20 m intervals. Eight of the shovel tests fell within the area of the site. STPs were dug to at least 10 cm below cultural material recovery in the subsoil. In addition to the shovel testing, field personnel also visually examined the eroding creek bank. Artifacts recovered during the Phase I survey included a quartz uniface, 12 rhyolite flakes, 2 jasper flakes, 2 quartzite pebble spalls, 20 slate fragments (counted as other lithics), 3 shell-tempered sherds, and 1 shell and sand-tempered sherd. Given the nature and type of cultural material recovered during the Phase I survey in addition to the data gathered by Wright, the site was determined to be potentially culturally significant. Therefore it was recommended for Phase II archeological testing.

The Phase II work was carried out in 1992 and entailed both additional shovel testing and the formal excavation of an area equal to ten 1 X 1 m test units. Archeological field testing of the site was confined to the undisturbed area proposed for a residential dwelling. No testing was conducted beyond this area as it would not be impacted by construction and the excluded areas had already been impacted by other residential dwellings and roads.

Testing initially commenced with the excavation of shovel test pits on a 5 meter grid pattern to establish the areal distribution of artifacts across the site. Shovel test pits were 50 X 50 cm in size and were excavated in 10 cm levels within natural stratigraphy to the culturally sterile B horizon. The soil from each STP was screened through hardware cloth, and each level was documented according to soil color and composition as well as the presence or absence of cultural materials. A total of 169 shovel tests were excavated. The STPs revealed that the site was confined to a relatively small area within a wooded locus north of an existing dwelling. Specifically, the artifacts were confined to within a topographic swale extending south from the shell deposit.

Subsequently, one 2 X 2 m test unit and six 1 X 1 m test units were excavated to identify potential cultural features. The test units were positioned where recovered artifacts and potential features were expected to be more plentiful. During the field testing, it was determined that the bank where the shell midden was located would not be impacted by proposed construction. However, with the permission of the property owner and developer, one test unit was excavated within the midden to obtain additional data and to aid in evaluating the entire site.

All of the test units were hand excavated using a shovel and trowel, in 10 cm levels within natural levels to the culturally sterile B horizon. The soil from each test unit was dry-screened through hardware cloth, and each level was documented according to soil color and composition, as well as the presence or absence of cultural materials on standardized forms. At the completion of each excavation unit, a floor plan was drawn unless no anomalies were observed. In addition, the north wall profile of each unit was drawn to better understand site stratigraphy.

To recover as many artifacts and ecofacts as possible from the test units, all oyster shell which would not pass through hardware cloth (during dry screening) was collected in cloth feed sacks. The oyster shells were then water screened through 2 mm screen. All of the soil from water screening was collected for flotation.

One feature (in addition to the well-documented shell midden) was identified during the Phase II study. This was a second concentration of shell identified in several shovel tests within a small section of the site about 13 meters south of the main shell midden. This locus was considered to be a separate activity area/feature based on the total absence of oyster shell within the area between the feature (hereafter referred to as the "secondary shell concentration" and the main shell midden. It was in this area that the 2 X 2 m test unit was placed. The 2 X 2 m unit revealed a rather dense concentration of oyster shells and Selby Bay phase artifacts. Two additional units (1 X 1s) were also excavated within the secondary shell concentration, which revealed that within these locations, the oyster shells were considerably less dense, as if they were on the edge of the feature. Additional nearby units produced very little shell and were probably outside the concentration.

MARYLAND HISTORICAL Site Number: | MARYLAND HISTORICAL | Site Number: | 18AN143 | Site Name: | Luce Creek | Prehistoric | Pre

Wood charcoal was collected from within the secondary shell concentration and submitted for a radiocarbon assay. It produced an uncalibrated date of 2130 ± 70 radiocarbon years before present. When calibrated, this corresponds to a calendrical date range (2 sigma) of 370 BC – AD 1. This is much earlier than the generally accepted date range for Mockley ceramics (7 sherds were recovered from the unit within the feature that was sampled) of roughly AD 200 - 900. It would place the feature in the Early Woodland and thus, non-contemporaneous with the Selby Bay component universally seen elsewhere throughout the site. It is probably erroneous.

The single 1 X 1 m unit excavated into the shell midden contained dense and compact concentration of oyster shell as expected. The midden extended to a depth roughly equivalent to that observed by Wright in the late 1950s.

Within all of the shovel tests and test units, no vertical stratification of artifacts was noted. In fact, based strictly on diagnostic projectile points and pottery alone, the site appears to represent one or more occupations relating to the Middle Woodland Selby Bay Phase.

Artifacts recovered during the Phase II study included 3 Selby Bay points, 4 point fragments, 1 other biface fragment, 1 core, 59 primary flakes, 158 secondary flakes, 114 tertiary flakes, 3 hammer/nutting stones, 74 Mockley sherds, 33 badly eroded and unidentifiable sherds, and 47 unidentifiable sherdlets. Within the lithic assemblage, the most common raw material is rhyolite (not available locally) with 315 specimens recovered, followed by jasper (21), quartz (2), quartzite (1), and chert (1).

Floral specimens were recovered from a majority of the test units excavated during Phase II work. The greatest number came from the unit placed within the shell midden. A single blackberry seed, 73 charred hickory nutshell fragments (27.2g), 9 acorn fragments (2.6g), and 105 charred wood fragments were recovered.

Data from the shovel test pits and test units suggest that there was likely more than one occupation of the site and that it was possibly utilized as a base camp where food was seasonally being collected and processed. This is evidenced by slight differences in the oyster shells from two different test units, as well as the presence of jasper in only the test units placed within the shell concentration. The presence of native botanicals found in the test units in a charred state indicates that the area was being occupied from early summer (based on the presence of a blackberry seed) through late fall (based on the presence of hickory nuts and acorns) and was possibly part of the occupants' seasonal round. The types of botanicals recovered from the test units also indicate that the site inhabitants were utilizing plant and animal resources typically found in estuarine environments and that relatively extensive exploitation of these locally available food stuffs may have taken place. Oyster shell analysis also indicates a pattern of non-intensive harvest over an extended period of time as opposed to short-term intensive harvesting. All of the oyster shells from all of the various proveniences across the site appear to have been collected from the same type of environment (e.g. from hard muddy sand in relatively shallow water). Growth ring analysis on a small sample of shells also indicates that the majority of the oysters were harvested over a period of at least four months between mid-March and late July, but harvesting may have also taken place (to a lesser extent) between December and March.

The lithic artifacts recovered at the site were determined to have been deposited into the archeological record through two processes: 1) implements were broken during the manufacturing process and abandoned, or 2) implements were broken or dulled during use and discarded when they were replaced. The majority of the rhyolite artifacts may have been brought to the site in finished from and were abandoned at the locus when they broke from use.

An examination of the site artifact and raw material distribution maps revealed several concentrations of cultural material suggesting "activity areas". Specifically, all of the jasper artifacts were found within one small section of the site and may actually represent a separate occupation of the locus. Although no specific concentrations of ceramic varieties were discerned, the variations in the clay from which the assemblage was manufactured would suggest that pottery had been brought to the site at different times or from different locations.

Unfortunately, the assumed major-component nature of the site was challenged by the single radiocarbon date obtained from wood charcoal in the shell concentration of one test unit. The calendrical date range of 370 BC – AD 1 corresponds to the Early Woodland period rather than the Middle Woodland Period Selby Bay Phase which seems to be represented by the entirety of the artifact assemblage.

Phase II archeological testing in 1992 revealed that the site has been considerably altered by the construction of a dwelling. It is postulated that at least one-half of the site was located where an extant (since at least the 1950s) residential structure and driveway are situated. The Phase II investigations consisted of testing approximately 20% of the total site area and over 50% of the intact secondary shell concentration located south of the shell midden tested by Wright. The sample size is considered adequate for study given the small size of the undisturbed piece of the site located within the proposed impact area. It is unlikely that additional testing in this portion of the site will yield anything more than a collection of additional, similar artifacts. Although the shell midden still present at 18AN143 represents only a small portion of what was once present, it continues to be considered culturally significant.

In 2013-2014, three Mockley sherds were analyzed by researcher at the Smithsonian Institution working to refine the technique of direct dating on shell used as a tempering agent. Shell (C. virginica) temper from the sherds was direct dated using Accelerator Mass Spectroscopy (AMS). All of the sherds came from the same test unit and produced uncalibrated radiocarbon dates of 2108 ± 24 years, 2186 ± 22 years, and 2285 ± 25 years before present. After calibration and adjustment for the local reservoir effect, these samples all produced Middle Woodland dates consistent with the known age of Mockley and calling into question the Early Woodland date obtained in the 1990s. When calibrated these radiocarbon ages correspond to calendrical dates of AD 350-440, AD 260-360, and AD 140-240 respectively.

Through a discussion with the Anne Arundel County Archeologist, the County Planning and Zoning Office, the property owner/developer, and the Phase II project archeologists, it was determined that the midden itself would not be impacted by (then) proposed construction or related activities. Subsequently, this portion of the site was delineated by placing a line of pin flags around the culturally significant portion of the site and it was avoided. Thus, intact portions of the shell midden remain and as a single component site, 18AN143 should still be considered a significant archeological resource.

External Reference Codes (Library ID Numbers):